

Being Safe with Medicines

Health and Safety

twinkl



Being Safe with Medicine

You find some tablets on the kitchen table at home.

What should you do?



Being Safe with Medicine

You have a headache while at a friend's house. Your friend's mum offers you some medicine.

What should you do?



Being Safe with Medicine

You find some tablets on the floor at school.

What should you do?



Being Safe with Medicine

You start to feel sick at school.

What should you do?



Being Safe with Medicine

You take some new medicine
your doctor has given you.
You start to feel sleepy.

What should you do?



Being Safe with Medicine

You tell your friend you have a headache. They offer
you some tablets. The tablets aren't in a packet and
there is no label.

What should you do?



Being Safe with Medicine

You see your little brother
playing with the
cough syrup bottle.

What should you do?



Being Safe with Medicine

You tell your friend you have a sore throat. She offers you some medicine the doctor gave her, when she had a sore throat last year.

What should you do?



Being Safe with Medicine

You have tummy ache and your mum gives you some medicine. The pain is getting worse.

What should you do?



Being Safe with Medicine

Your doctor has prescribed you with a course of antibiotics for a week. After two days you feel better.


What should you do?



Being Safe with Medicine

You see some children playing with different coloured tablets in the playground at school.

What should you do?



Being Safe with Medicine

You don't want to go to PE, so you pretend to have a headache. The school nurse offers you some medicine.

What should you do?

